



INVESTMENT OPPORTUNITY MEDICAL OFFICE BUILDING

1002 BOULDER DRIVE
GRAY, GEORGIA 31032
JONES COUNTY

ASKING PRICE: \$3,006,000

CAP RATE: 6.25%



STERLING BAILEY C: 478.951.9443 | KEVIN HARKINS C: 478.338.0623
SBAILEY@THESUMMITGROUPMACON.COM | KHARKINS@THESUMMITGROUPMACON.COM

4124 ARKWRIGHT ROAD, SUITE 1 MACON, GA 31210


O: 478.750.7507

WWW.THESUMMITGROUPMACON.COM



PROPERTY INFORMATION

- 6,904 SF medical office building across from Ingles grocery store & next to Morris Bank
- Located on bypass; just off Gray Hwy
- Built 2006
- .94-acre lot
- Zoned C-3 (commercial)



1002 BOULDER DRIVE, GRAY, GEORGIA 31032



The information contained herein has been compiled from various sources, both private and public. It is accurate and complete only to the extent to which The Summit Group has been able to ascertain from third party sources. As such, no warranty or guarantee is given or implied with regard to the accuracy or completeness of any information contained herein. Any interested party shall be required to conduct its own due diligence and investigations to verify, review, audit, or otherwise insure the information contained herein.

TENANT INFORMATION

- Tenant: US Renal Care
 - Tenant has occupied the space since September 2006; 5-year renewal option was exercised in November 2021
 - USRC serves more than 26,000 patients across 33 states in more than 400 facilities
(source: usrenalcare.com/about)
- NOI - \$188,545
 - Cap rate of 6.25% with 2.25% annual increases



1002 BOULDER DRIVE, GRAY, GEORGIA 31032



The information contained herein has been compiled from various sources, both private and public. It is accurate and complete only to the extent to which The Summit Group has been able to ascertain from third party sources. As such, no warranty or guarantee is given or implied with regard to the accuracy or completeness of any information contained herein. Any interested party shall be required to conduct its own due diligence and investigations to verify, review, audit, or otherwise insure the information contained herein.